



SECURITY FENCE NOTES:
 8'-0" TALL 3 GAUGE GALVANIZED CHAIN LINK FENCE BY GENERAL CONTRACTOR PROVIDE 10'-0" GATE OPENING, A DOUBLE 5'-0" SWING GATE.
 POST LOCATIONS AND SUPPORT ARE TO BE INSTALLED AT PROPER INTERVALS IN KEEPING WITH THE FENCE SUPPLIER'S RECOMMENDATIONS, V. 8'-0" O.C.
 FENCE, GATE AND GATE LOCK TO BE APPROVED BY MCHENRY COUNTY COLLEGE.
 THE FENCE MAY BE USED AS A SECURITY FENCE DURING CONSTRUCTION IF IT IS NOT DAMAGED. ANY DAMAGE TO FENCE WILL NEED TO BE REPAIRED AT THE CONTRACTOR'S EXPENSE.

CONCRETE NOTES:
 UNSUITABLE SOIL AND DEBRIS SHALL BE REMOVED FROM EXCAVATION FOR GRADE
 ALL CONCRETE IS TO HAVE A 3,000 PSI COMPRESSIVE STRENGTH IN 28 DAYS CONFORMING A. C. I. 0.301
 ALL DEFORMED REINFORCING BARS ARE TO BE NEW AND CONFORMING TO ASTM A-634-60
 FENCE POSTS TO BE INSTALLED IN KEEPING WITH MANUFACTURER'S / SUPPLIER'S RECOMMENDATIONS

NOTES:
 IT IS A REQUIREMENT OF THIS PROJECT THAT THE RACKING SUPPLIER/ MANUFACTURER IS TO MEET THE LAYOUT AND SPACING REQUIREMENTS ENGINEERED. ANY CHANGES TO THE FOUNDATION DESIGN REQUIRED BY THE RACKING SUPPLIER / MANUFACTURER WILL BE AT THE EXPENSE OF THE RACKING SUPPLIER / MANUFACTURER.
 IT IS A REQUIREMENT OF THIS PROJECT THAT THE RACKING SYSTEM BEING INSTALLED BE ABLE TO BE FASTENED TO THE SUPPLIER STEEL PIER CAP. ALL EXPOSED STEEL TO BE GALVANIZED. SEE PIER PLATE DETAIL.
 PROVIDE PLASTIC EDGE AT STONE / GRASS JOINT
 USE 2' CLEAN RIVER STONE - 6" DEEP SURFACE OF STONE AT GRADE (FLUSH)

SURFACE CONDITION PLAN

SCALE: 1/8" = 1'-0"



DATE	REVISION
05/14/14	PERMIT & BIDDING

JOB #
186
S-3
SURFACE
CONDITION
PLAN

JOSEPH A. MEYER & ASSOCIATES
 STRUCTURAL AND PROFESSIONAL ENGINEERS
 135 PARK AVE. BARRINGTON ILLINOIS 60010 847-389-0200

J. T. KATRAKIS & ASSOCIATES, INC.
 Energy & Environmental Engineering, Consulting and Management
 418 North Avenue, Barrington, Illinois 60010
 P: 847-382-1877 F: 847-382-8194

MCHENRY COUNTY COLLEGE
 SHAH CENTER SOLAR PV PROJECT
 4100 SHAMROCK LANE, MCHENRY, IL 60050